

## EFFULGENCE-525


### Inhibitor

#### General

Effulgence-525 polymerization inhibitor is used to increase the shelf life of olefinic resins. It is a yellow to brown solution of an inhibitor in a monomer, and tends to darken with age. Because it is typically used at low concentrations in formulated systems, this discoloration does not affect performance and should not affect the final product quality. Effulgence-525 polymerization inhibitor may be used in coatings, adhesives, photoresists, printing inks and printing plates as well as unsaturated polyester resins, vinyl monomers and acrylated oligomers. It is typically used in concentrations ranging from 0.1% to 2% by weight.


#### Properties

##### Inhibitor



Chemical name : N-Nitrosophenylhydroxylamine Aluminum Salt  
CAS No. : 15305-07-4  
Molecular formula :  $C_{18}H_{15}AlN_6O_6$

##### Monomer



Chemical name : Acrylate Ester of Propoxylated Glycerin  
CAS No. : 052408-84-1  
Molecular formula :  $C_{21}H_{32}O_9$

#### Physical data

Appearance : Yellow to brown liquid  
Inhibitor molecular weight : 438.33  
Monomer molecular weight : 428

#### Specifications

Active amount of inhibitor :  $\geq 4.0\%$   
Water :  $\leq 0.5\%$

**RCHUN**

**technology**  
A Sustainable Growth Company

无锡隆成科技有限公司

WUXI RCHUN TECHNOLOGY CO., LTD.

江苏无锡新区锡南二支路 10 号 邮编: 214028 电话: 86 510 88297505 传真: 86 510 85259196  
NO.10 Xinan 2 Road, New District, Wuxi, China 214028 Tel: 86 510 88297505 Fax: 86 510 85259196

### Packaging and Storage

25kg fiber drum, Avoid knock, fire, insolation and rain. Kept in dry and ventilating place, far away from heat and fire.